International company “Alpha – Med Ukraine” presents You:

Medical - Diagnostic Systems "Sensitiv Imago" - designed for a full scan of the health body, and for the effective treatment of identified diseases.

The results of the survey on the equipment Sensitive Imago are:

Correct diagnoses about all prescribed organs and body systems.
Check-list of the diseases, that has the risk of further development – comes to light primary changes, that presents on the cell's level, but with out functional malfunctions and complaints from the patient.
Check-list of the presented causative agents and germs in the organs and systems (viruses, parasites, protozoans, bacterias, etc.)
Color printings of affected organs and systems, including cellular and chromosomal level.
The list of allergens, harmful to the patient.
Individually equipment selects an effective treatment, which will give the maximum positive effect.
Providing instant bioenergy treatment against any diseases with a help of MORA- and BRT-therapy.

Hardware complex "Sensitive Imago" with a “LifeStream” software allows to:

get rapid assessment of body state;
receive information about the weakest systems or organs;
receive information about possible diagnoses (gives the diagnoses, that are similar to the sample processes);
detect and identify the pathogen micro-flora, the level of its activity and the areas of its localization;
detect and identify the hidden micro-flora;
choose individual scheme of treatment and individual effective dosage of the preparations, that is made by testing preparations in the magnetic-optical chamber, noting it's type and dosages;
make recommendations about recovery processes (potion “Selective complexes”);
find an allergens;
identify not stable laboratory findings (on their quality value);
provide therapeutic measures (frequency compensation, bioresonance therapy);
produce “informational” preparations (spectronosodes);
detect and identify degree of harmfulness by the energy-informational impact on the patient's body;
detect and identify contaminants in the body – means the amount mycotoxins, pesticides, herbicides, nitrates and nitrites, fungicides, heavy metals;
detect and identify amount of dangerous E-supplements (dietary supplements), that has been accumulated in the body;
identify the genetic susceptibility to disease.

Has the possibilities to:
detect and identify the emotional mode of the patient;
select the treatment with a help of stones (lithotherapy);
recommend the diet according the blood type (schedule “exclude\include”);
biorhythms calculation (parameters "physical", "intellectual", "emotional", "common");
prescribing a course of treatments to overcome nicotine addiction and body recovery;
provide a recommendations about the problem of overweight, and, in the case of prescribing a

weight losing medication course – to analyze the course efficiency before taking it.

The principle of operation

The principle of operation is based on how each process, which occurs in the body, has its own specific electromagnetic properties. These characteristics can be measured. In case of diseases such characteristics are changing.
Due to the scheme of studding, according to the studied organs (groups of) the program adjusts the device to the frequency of electromagnetic pulse of the organs. These pulses are received from the main brain of examined person. No effect is provided.
Every pathological processes , every agent , every deviation from the norm has a unique, strictly defined energy spectrum. The database of machine contains models (samples) of different pathological processes. During the survey we receive a large collection of the electromagnetic spectra from examined body. They carry full details about all processes in the body. Device compares the electromagnetic spectra of organism with models in its database, and if there is a match of any scale with the sample a bioresonance effect appears, and the unit captures the process.
It closely resembles the process of defining products in a supermarket using their bar codes. So the bar code on products is a likeness of the electromagnetic spectrum on any process in the body.

The procedure of computer diagnostic providing:

put headphones on the head;
take the hand sensors in the hands;
direct the quantum-optical modulator or infra-red sensor (depends of the equipment model) on the patient;
launch the program.

The procedure consists of four stages:
collecting the information about body systems and organs (information can be taken about whole body, or one system of the body, or about an exact organ);
handing this information by the specialist;
patient receives from the doctor the conclusion about state of his body, with color prints that show organs state;
individual selection of the medicines, with check of effectiveness and acceptability for this organism, the most effective preparation dosages is detected and identified by testing them in the special chamber of the device.

The equipment Sensitiv Imago can select medicines for the patient automatically. Into the database of equipment included preparations of many companies, that provides homeopathic medications, herbal medicinal products, biologically active supplement.

More than that, You can by yourself add to the program database the bioenergetic characteristics of any medicines or preparations, by placing it into the external magneto-optical chamber, that goes in a set with a equipment.

The main categories of Senstiv Imago equipment purchasers are:
Doctors - for private practice;
Medical centers - as a main or accessory equipment for the survey;
Distributors of nutritional supplements (Coral Club, NSP, Tiensh, Dr. Nona and others) for selection of their products to customers, and for customers motivation to buy their products. Also -

for more intensive growth of distribution network.

Manufacturers of cosmetics, food, different medications - for evaluation and selection of the optimal composition of the product;

Beauty and spa salons - for additional business, adjacent to their main activity;

And the most extensive group – for opening new, "key ready" business. For such clients we propose our help in the deal of opening of diagnostic cabinet, that will use our model of work with Sensitiv Imago equipment.

Sensitiv Imago equipment models.

1. Sensitiv Imago 60 CE (70)

Equipment Sensitiv Imago 60 CE (70) is designed for distribution centers, that deals with nutritional supplements distribution, or distribution of any other health products. This type of equipment concerns to the economy equipment class.

Sensitiv Imago 60 CE and Sensitiv Imago 70 are the same models, with identical abilities and functions. The only difference is that the Sensitiv Imago 60 CE model is produced in compliance with the requirements and standards of European Union and has European Certification (CE certificate).

More detailed:
Diagnostic equipment Sensitiv Imagot 60 CE (70) allows to provide the full body imago-diagnostic for the patient. This diagnostic model has all the necessary peripheral.

The Sensitiv Imago equipment works from the AC network through standard power supply module. Equipment was designed to works combined with PC or notebook, connected through USB connector 1.1 or 2.0, and works with follow operation systems – Windows XP, Vista, Windows 7. Main sensors are placed into the headphones – they contain 60 SBA sensors, in the interface block there are 8192 quazy-stable analyzers. In both headphones there are located sound emitters. In the left headphone there is also located electromagnetic induction sensor and sensor of infrared emission.
BOS detector is connected as a individual peripheral equipment and place next to the monitor.
Second type of the imago-diagnostic is the sensorial diagnostic. Sensing devices, bipolar and single, serve to receive additional information from the patient. Sensors also ensure the stability of information acquisition during appearing unrecoverable interferences.
Peripheral devices connected to the main block via consistent adapter. The equipment has 2 inbuilt magneto-optical chambers. Magneto-optical chamber of new generation allows to produce "informational" preparations (spectronosodes) and test individual dosages of health revitalizers, allopathies, homeopathies, phytotherapies, dietary supplements, nutraceuticals of different companies. Magneto-optical chamber allows to select the best way of body wellness.
To speed up the initial testing, the imago-diagnostic can be performed in the manual or automatic modes.
Diagnostic equipment Sensitiv Imago 60 CE (70) consists of follow internal blocks:

Unit of reducing of errors, caused with Earth's magnetic field;

Unit of dual calibration;

Unit of operator and client safety;

Myorelaxation section;

Unit of errors correction and automatic sensors setting, with possibilities to determine the

probability of peripheral gadgets break during the examination.
Diagnostic equipment Sensitiv Imago 60 CE (70) uses new software – the “LifeStream” program, that was developed for new, more forceful equipment models, using the highest European standards.

Reliability of received results is up to 86%.

2. Sensitiv Imago 100 CE (115)

Sensitiv Imago 100 CE (115) is one of the most attractive models due to "Price-Quality-Abilities" ratio. Middle price category.

Sensitiv Imago 100 CE and Sensitiv Imago 115 are the same models, with identical abilities and functions. The only difference is that the Sensitiv Imago 100 CE model is produced in compliance with the requirements and standards of European Union and has European Certification (CE certificate).

It can work without entering patient's complaints into the program.
More detailed:
Sensitiv 100 CE (115) is the most popular model. Sensitiv 100 CE (115) can be used on the on-site attendances as well as the economy class models, in the same time having all advantages of stationary models.
The Sensitiv Imago equipment works from the AC network through standard power supply module. The device sends the information and receive commands from a computer via modern types of USB connector.
Main sensors are placed into the headphones – they contains at least 100 grouped SBA sensors, they are valuable for bearing of millimeter signals, emanating from the operator. Also into the headphones there are mounted induction sensors and load sensing units.
Diagnostic equipment Sensitiv Imago 100 CE (115) consists of follow internal blocks:

- Quazi-stable independent analyzing devices in amount of 16384 items;
- The pair of external magneto-optical chambers, that work in the multi-color mode. They serve for testing of therapeutic healing preparations in the classified mode.
- Block of adaptation for manual and automatic setup modes. It's needed for successful setting in different parts of the world.
- Connections for future peripherals.
- The system of digital filters.

Well-proven "floating" load generator is a "visit" card of equipment Sensitive Imago. Also Sensitiv Imago equipment contains follow parts:

- Unit of automatic calibration, that increases the accuracy of diagnosis;
- BRB unit, that allows to stabilize the biological feedback;
- Unit of operator's and proband's safety (it protects the operator from the negative information load and protects the patient from information overload);
- Unit of errors correction and automatic sensors repairing, with possibilities to determine the probability of peripheral gadgets break during the examination;
- Unit of triple calibration.

Diagnostic equipment Sensitiv Imago 100 CE (115) has the same set of peripheral devices as Sensitiv Imago 60 CE (70) has. Sensors: bipolar and single to control the conductivity of tissues of surveyed. This method uses by Sensitiv Imago diagnostic equipment for errors reducing.

Diagnostic equipment Sensitiv Imago 100 CE (115) uses newest software – the program "LifeStream", that was developed for new, more forceful equipment models. Into the program were added significant changes that improve the quality of the equipment's work and increase information value. Was updated and expanded function of preparing the spectronosodes.

Reliability of received results is up to 90%.

3. Sensitiv Imago 500 CE (515)

Sensitiv Imago 500 CE (515) is the best model of the Sensitivs. The device is graded to the business class.

Sensitiv Imago 500 CE and Sensitiv Imago 515 are the same models, with identical abilities and functions. The only difference is that the Sensitiv Imago 500 CE model is produced in compliance with the requirements and standards of European Union and has European Certification (CE certificate).

Sensitiv Imago 500 CE (515) is now the best diagnostic-treatment medical complex. Diagnostic system Sensitiv Imago 500 CE (515) is the high-tech equipment for providing computing diagnostic of human health through the use of the last scientific knowledges about the wave characteristics of biological systems. About accuracy, presentable and economic benefits, this equipment has no equal. The device is equipped with maximum possible, as for today, amount of peripheral units, that extend and improve gathering of information from the examined.
The main block of the Sensitiv Imago equipment 500 CE (515) is equipped with modern microprocessors. The Sensitiv Imago equipment works from the AC network through standard power supply module.
The device sends the information and receive commands from a computer via modern types of USB connector.
Main sensors of the system, SBA sensors, are entered into main block and head synchronized unit – headphones.
Headphones include:

- sensor of electromagnetic induction;
- sound emitters;
- receiver of radiation;
- 500 sensors of bistable analyzers.

The diagnostic equipment Sensitiv Imago is equipped with the unit of biological feedback. The equipment has the possibility to detect and identify biological object. Instead of previous models, there is no deference, which part of main brain of examined (left or right) is more dominated.
For strengthening of alternative equipment properties the interface block is equipped with 16384 quasistable sensors, that intended on the high frequency.
Also our devices equipped by:

- system of sensor analyzers (with titanium spattering, for control of tissue conductivity);
- 2 polar magnit-optical chamber (for health products testing and preparing spectronosodes). They are built into the main device block. Could provide testing of any material, except metal, in any cover, except foil.
- "floating"generator, that gives the load according to the load, that is needed for each exact organ. The system of "floating" generator is quite expensive. So for equipment depletion it can be used external load generator.

Editional way of receiving information from the patient is the QOM – Quantum-optical modulator, 630-680 Nm, with a span that is modulated by high frequency. It is made in a separate case, and it has to be placed not further than 70sm from the tested object, in-plane of the monitor to increase the infrared emission. The QOM has 2 operating modes: Setup and Testing. We recommend to provide the relocating of the sensors work stream before testing.
Also Sensitiv Imago equipment contains follow parts:

- Unit of automatic calibration, that increases the accuracy of diagnosis;
- BRB unit, that allows to stabilize the biological feedback;
- Unit of operator's and examined person's safety (it protects the operator from the negative information load and protects the patient from information overload);
- Unit of errors correction and automatic sensors repairing, with possibility to determine the probability of peripheral gadgets break during the examination;
- Unit of triple calibration.

On the front panel of Sensitive Imago 500 CE (515) is placed the LCD screen. It serves to inform operator about diagnostic mode.
In the main equipment block there is an ability to connect additional reinforcement units.

The software “LifeStream”, developed by our company specially for latest generation of Sensitiv Imago devices, is updated few times a year. All models, that have been produced before 2011 year were equipped with “Sensitiv Imago” software, but since May 2011 year all devices became equipped only with software “LifeStream”,that was developed for new, more forceful equipment models, in compliance with the contemporary European standards.
On amount of frequency requests to the tested organ and amount of spectrograms, on the speed of information processing the “LifeStream” program surpasses previous programs.

The diagnostic equipment Sensitiv Imago 500 CE (515) is graded to the business class and it is intended for organizations that value accuracy and image.
The Sensitiv Imago 500 CE are supplied with European certificate.
In the 2009 the Sensitiv Imago 500 CE "Sensitiv Imago" has taken a gold medal on "ITM 2009" International Technical Fair (Plovdiv, Bulgaria).

Sensitiv 500 CE (515) works in a high and ultrahigh frequency diapason. There is a "floating" generator. Sensitiv provides stable biological feedback between patient and device. As distinct from the similar models it doesn't matter which of cerebral hemispheres is more active - left or right. Sensor - bipolar electrode with plain additional electrode, comes with the device. Quantum-optical modulator (QOM), bimodal, with modulated infeed with high frequencies. Magnetooptical chamber (MOC) of new generation allows to test any preparations except foil-coated. There are also myo - relaxation mode, auto scanning, negative information reset.

System of bistabile analyzers (SBA) came instead of outdated trigger sensors. There are three mode of SBA - sensors calibration. Coarse tuning - system calibrates SBA sensors in keeping with an ambient background, geographical position and frequency response of the examined. Transitional tuning - system is calibrated in keeping with biological radiating of the object (human). Delicate tuning - system analyzes the condition of sensors and automatically calibrates them before each information retrieval. Medical history sheets can be encoded and written to different data carriers. 9-frequency diapason of selectors. There is liquid-crystal display mount into the main block to transfer confidential information to the operator.

The device can work with the next software: IMAGO, LifeStream.
Reliability of received results is up to 94%.

СИСТЕМА СЕРТИФИКАЦИИ ГОСТ Р
ГОССТАНДАРТ РОССИИ
СЕРТИФИКАТ СООТВЕТСТВИЯ


ies
CE CERTIFICATE

СВИДЕТЕЛЬСТВО ПРО ВИЗНАННЯ

СИСТЕМА ДОБРОВОЛЬНОЙ СЕРТИФИКАЦИИ
СПАСАТЕЛЬНЫХ СРЕДСТВ
СЕРТИФИКАТ СООТВЕТСТВИЯ

РОССИЙСКАЯ ФЕДЕРАЦИЯ
СВИДЕТЕЛЬСТВО
на товарный знак (знак обслуживания)
№ 317020
SENSITIV IMAGO

Except suppling the equipment, we also provide training courses, where we teach to work with our equipment, business-trainings, where we elucidate the steps of organization of such kind of business, of establishing successful and profitable work. At the end of training course the certificate is given.
Also, for our clients we develop a free web-site, that contains information about equipment abilities and client's contact data. We give our clients informational and media materials, that they need.

More detailed about our equipment you can read on our web-site www.aur-um.com.ua.

There is also an opportunity to learn to work on equipment singly, using User's Manual and video lessons, that we send to all our clients in set with equipment. There are step by step instructions on all main functions of equipment.

In case of wholesale purchase of equipment, discounts and our representative's arrive for training are available.

For all questions, please contact our **E-mail**: sensitiv2008@gmail.com and
Phone in Kyiv: +38 (067) 232 1736; +38 (068) 201 8383.

All interested are welcome to visit our office for free demonstration of our equipment capabilities.
Our office address: "Center of Health Technologies" 3-b Verbitskogo street, 6th flour, Kyiv, Ukraine, 02091.